



Retail Food Establishment Inspection Report

Floyd County Health Department
Telephone: 812-948-4726

X6000

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

| | | | |
|---|---|--|------------------------------|
| Establishment Name Zaxby's | Telephone Number 812 725 7484 | Date of Inspection (mm/dd/yr) 3/3/20 | PERMIT # 19-358 |
| Establishment Address (number and street, city, state, zip code) 2870 Technology Ave New Albany, IN 47150 | 502 648 0099 | | |
| Owner Jerry Ayres | Purpose: Routine | Follow-up YES | Release Date TODAY |
| Owner's Address | 2. Follow-up | Summary of Violations: C 6 NC 5 R 5 | |
| Person in Charge Julie Kaplan | 3. Complaint | Menu Type (See back of page) 1 2 3 X 4 5 | |
| Responsible Person's E-mail | 4. Pre-Operational | | |
| | 5. Temporary | | |
| | 6. HACCP | | |
| | 7. Other (list) | | |
| Certified Food Manager Julie Kaplan (10/16/23) | | | |

• CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"

• VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"

| Section# | C/NC | R | Narrative | To Be Corrected By |
|-------------------------------------|------|---|--|-----------------------------|
| 118 | C | | Observed lack of food safety knowledge or best practices - CFM should also become familiar with "Indiana Food Code" ← | Retrain w/ CFM |
| 128 | C | | Observed FOH employee improperly wash hands between tasks | Retrain w/ CFM |
| 136 | C | | Observed open employee drink on active prep surface | Retrain w/ CFM |
| 192 | C | | Observed container of expired chicken breasts (3/2) | Discarded |
| 204 | C | | Observed employee and BOH become contaminated with raw chicken water after confusion on proper thawing techniques | New uniform and BOH cleaned |
| 303 | C | R | Observed tea pitcher and sauce bottles stored soiled | |
| 297 | NC | R | Observed lobby ice chutes and nozzles, and tea dispenser w/build-up | Corrected |
| 324 | NC | | Observed hand sink faucet to be faulty - current issue discourages proper hand washing and should be addressed today | Today |
| 217 | NC | R | Observed yellow hot holding pan burned past usability | Discard/Replace |
| 416 | NC | R | Observed dead bugs in light shields | 1 week |
| 431 | NC | R | Observed spill in walk-in cooler | Today |
| FCHD will return 3/10 for Follow-up | | | | |

| | |
|--|--|
| Received by (name and title printed): Julie Kaplan | Inspected by (name and title printed): A.J. Ingram (EHS) |
| Received by (signature): Julie Kaplan | Inspected by (signature): aj |
| cc: | cc: |